

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Cutbanks cave Deep to water	1.00 0.14
AdB2: Adelphia-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Cutbanks cave Deep to water	1.00 0.14
AdC2: Adelphia-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Cutbanks cave Deep to water	1.00 0.14
AhA: Adelphia-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Cutbanks cave Deep to water	1.00 0.14
AhB2: Adelphia-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Cutbanks cave Deep to water	1.00 0.14
AuB2: Aura-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
AuC2: Aura-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
AuC3: Aura-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
AuD: Aura-----	100	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
AvE: Aura-----	50	Very limited Seepage Slope	1.00 0.72	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Croom-----	50	Very limited Seepage Slope	1.00 0.72	Not limited		Very limited Deep to water	1.00
BeA: Beltsville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BeB2: Beltsville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BeC2: Beltsville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BlA: Beltsville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BlB2: Beltsville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BlC2: Beltsville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BlC3: Beltsville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BlD3: Beltsville-----	95	Very limited Seepage Slope	1.00 0.01	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
BmB: Beltsville-----	50	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BmC: Beltsville-----	50	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 1.00	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
Bn: Bibb-----	100	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping Seepage	1.00 1.00 0.09	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Bo: Bibb-----	100	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Br: Bibb-----	50	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Urban Land-----	30	Not rated		Not rated		Not rated	
BtB2: Butlertown-----	90	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
CaB2: Chillum-----	100	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
CaC2: Chillum-----	100	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
CaC3: Chillum-----	100	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
CaD2: Chillum-----	100	Somewhat limited Seepage Slope	0.70 0.04	Not limited		Very limited Deep to water	1.00
CbB: Chillum-----	50	Somewhat limited		Not limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	0.70			Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CbC: Chillum-----	50	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CbE: Chillum-----	50	Somewhat limited Seepage Slope	0.70 0.24	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CcC3: Christiana-----	100	Somewhat limited Seepage	0.01	Not limited		Very limited Deep to water	1.00
CcD3: Christiana-----	100	Somewhat limited Seepage Slope	0.01 0.01	Not limited		Very limited Deep to water	1.00
CcE3: Christiana-----	100	Somewhat limited Slope Seepage	0.28 0.01	Not limited		Very limited Deep to water	1.00
CdA: Christiana-----	100	Somewhat limited Seepage	0.01	Somewhat limited Seepage	0.09	Very limited Deep to water	1.00
CdB2: Christiana-----	100	Somewhat limited Seepage	0.01	Somewhat limited Seepage	0.09	Very limited Deep to water	1.00
CdC2: Christiana-----	100	Somewhat limited Seepage	0.01	Somewhat limited Seepage	0.09	Very limited Deep to water	1.00
CdD2: Christiana-----	100	Somewhat limited Seepage Slope	0.01 0.01	Somewhat limited Seepage	0.09	Very limited Deep to water	1.00
CeA: Christiana-----	100	Somewhat limited Seepage	0.01	Not limited		Very limited Deep to water	1.00
CeB2: Christiana-----	100	Somewhat limited		Not limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	0.01			Deep to water	1.00
CeC2: Christiana-----	100	Somewhat limited Seepage	0.01	Not limited		Very limited Deep to water	1.00
CeD2: Christiana-----	100	Somewhat limited Slope Seepage	0.08 0.01	Not limited		Very limited Deep to water	1.00
CfB: Christiana-----	50	Somewhat limited Seepage	0.01	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CfC: Christiana-----	50	Somewhat limited Seepage	0.01	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CfE: Christiana-----	50	Somewhat limited Slope Seepage	0.41 0.01	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
Cg: Clay Pits-----	95	Not rated		Not rated		Not rated	
Ch: Codorus-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave	1.00
Ck: Codorus-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
Cl: Colemantown-----	100	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.40	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CmA: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CmB2: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CmC2: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CmC3: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CmD2: Collington-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CmD3: Collington-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CmE2: Collington-----	100	Very limited Seepage Slope	1.00 0.41	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CmE3: Collington-----	100	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CnB2: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CnC2: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CnD2: Collington-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CoA: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CoB2: Collington-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
CoC3: Collington-----	100	Very limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Seepage	0.11	Deep to water	1.00
CpB: Collington-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CpC: Collington-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
Cr: Comus-----	95	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Deep to water	1.00
CsB2: Croom-----	100	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00
CsC2: Croom-----	100	Very limited Seepage Slope	1.00 0.01	Not limited		Very limited Deep to water	1.00
CsC3: Croom-----	100	Very limited Seepage Slope	1.00 0.01	Not limited		Very limited Deep to water	1.00
CtB2: Croom-----	100	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00
CtC2: Croom-----	100	Very limited Seepage Slope	1.00 0.01	Not limited		Very limited Deep to water	1.00
CtC3: Croom-----	100	Very limited Seepage Slope	1.00 0.01	Not limited		Very limited Deep to water	1.00
CtD2: Croom-----	100	Very limited Seepage Slope	1.00 0.12	Not limited		Very limited Deep to water	1.00
CuB: Croom-----	50	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CuC: Croom-----	50	Very limited Seepage Slope	1.00 0.01	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CuE: Croom-----	50	Very limited Seepage Slope	1.00 0.28	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
DoA: Donlonton-----	95	Somewhat limited Seepage	0.57	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.43 0.10
DoB2: Donlonton-----	95	Somewhat limited Seepage	0.57	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.43 0.10
Ek: Elkton-----	100	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.57	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
ElB: Elkton-----	100	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.66	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
EmA: Elsinboro-----	100	Very limited Seepage	1.00	Somewhat limited Piping	0.88	Very limited Deep to water	1.00
EmB2: Elsinboro-----	100	Very limited Seepage	1.00	Somewhat limited Piping	0.88	Very limited Deep to water	1.00
EnA: Elsinboro-----	100	Very limited Seepage	1.00	Somewhat limited Piping	0.88	Very limited Deep to water	1.00
EnB2: Elsinboro-----	100	Very limited		Somewhat limited		Very limited	



Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Piping	0.88	Deep to water	1.00
EnC2: Elsinboro-----	100	Very limited Seepage	1.00	Somewhat limited Piping	0.88	Very limited Deep to water	1.00
EuB: Elsinboro-----	50	Very limited Seepage	1.00	Somewhat limited Piping	0.88	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
Fl: Fallsington-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Fs: Fallsington-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Fu: Fallsington-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Very limited Deep to water	1.00
GaC: Galestown-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.41	Very limited Deep to water	1.00
GdB: Galestown-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GdC: Galestown-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
GeB: Galestown-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GeC: Galestown-----	50	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
GmB: Galestown-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GmC: Galestown-----	50	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GnC2: Glenelg-----	100	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
GoB: Glenelg-----	50	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
Gp: Gravel And Borrow Pi	95	Not rated		Not rated		Not rated	
Ha: Hatboro-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave	1.00
HcC3: Howell-----	100	Somewhat limited Seepage	0.57	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill Deep to water Cutbanks cave	0.43 0.24 0.10
HcD3: Howell-----	100	Somewhat limited Seepage Slope	0.57 0.04	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill Deep to water	0.43 0.24

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Cutbanks cave	0.10
HoB2: Howell-----	100	Somewhat limited Seepage	0.57	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill	0.43
						Deep to water Cutbanks cave	0.24 0.10
HoC2: Howell-----	100	Somewhat limited Seepage	0.57	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill	0.43
						Deep to water Cutbanks cave	0.24 0.10
HwB2: Howell-----	100	Somewhat limited Seepage	0.57	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill	0.43
						Deep to water Cutbanks cave	0.24 0.10
HwC2: Howell-----	100	Somewhat limited Seepage	0.57	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill	0.43
						Deep to water Cutbanks cave	0.24 0.10
HwD2: Howell-----	100	Somewhat limited Seepage	0.57	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill	0.43
		Slope	0.04			Deep to water Cutbanks cave	0.24 0.10
HwE2: Howell-----	100	Somewhat limited Seepage	0.57	Somewhat limited Depth to saturated zone	0.46	Somewhat limited Slow refill	0.43
		Slope	0.41			Deep to water Cutbanks cave	0.24 0.10
Hy: Hyde-----	100	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill	0.30
						Cutbanks cave	0.10
Ik: Iuka-----	95	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00 0.09	Somewhat limited Slow refill	0.30
						Cutbanks cave Deep to water	0.10 0.01
ImA: Iuka-----	95	Somewhat limited		Very limited		Somewhat limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ImB: Iuka-----	95	Seepage	0.70	Depth to saturated zone Seepage	1.00	Slow refill	0.30
					0.09	Cutbanks cave Deep to water	0.10 0.01
		Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00	Somewhat limited Slow refill	0.30
In: Iuka-----	95				0.09	Cutbanks cave Deep to water	0.10 0.01
		Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00	Somewhat limited Slow refill	0.30
					0.03	Cutbanks cave Deep to water	0.10 0.01
IoA: Iuka-----	95				0.03	Cutbanks cave Deep to water	0.10 0.01
		Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00	Somewhat limited Slow refill	0.30
					0.03	Cutbanks cave Deep to water	0.10 0.01
IoB: Iuka-----	95				0.03	Cutbanks cave Deep to water	0.10 0.01
		Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00	Somewhat limited Slow refill	0.30
					0.03	Cutbanks cave Deep to water	0.10 0.01
Iu: Iuka-----	50				0.03	Cutbanks cave Deep to water	0.10 0.01
		Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00	Somewhat limited Slow refill	0.30
					0.03	Cutbanks cave Deep to water	0.10 0.01
Urban Land-----	30	Not rated		Not rated		Not rated	
Ix: Iuka-----	50				0.03	Cutbanks cave Deep to water	0.10 0.01
		Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00	Somewhat limited Slow refill	0.30
					0.03	Cutbanks cave Deep to water	0.10 0.01
Urban Land-----	30	Not rated		Not rated		Not rated	
Jo: Johnston-----	50				0.09	Cutbanks cave	1.00
		Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00		
					0.09		

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Johnston-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Ju: Johnston-----	55	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
Urban Land-----	45	Not rated		Not rated		Not rated	
KeA: Keyport-----	95	Not limited		Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.14 0.10
KeB2: Keyport-----	95	Not limited		Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.14 0.10
KeC2: Keyport-----	95	Not limited		Somewhat limited Depth to saturated zone Seepage	0.68 0.10	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.14 0.10
KpA: Keyport-----	95	Not limited		Somewhat limited Depth to saturated zone	0.68	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.14 0.10
KpB2: Keyport-----	95	Not limited		Somewhat limited Depth to saturated zone	0.68	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.14 0.10
KpC2: Keyport-----	95	Not limited		Somewhat limited Depth to saturated zone	0.68	Very limited Slow refill Deep to water Cutbanks cave	1.00 0.14 0.10
KrC3: Keyport-----	95	Not limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
				Depth to saturated zone	0.68	Slow refill	1.00
						Deep to water	0.14
						Cutbanks cave	0.10
KuB: Keyport-----	50	Not limited		Somewhat limited Depth to saturated zone	0.68	Very limited Slow refill	1.00
						Deep to water	0.14
						Cutbanks cave	0.10
Urban Land-----	30	Not rated		Not rated		Not rated	
Ky: Klej-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00	Very limited Cutbanks cave	1.00
					0.16		
LeA: Leonardtown-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00	Very limited Deep to water	1.00
					1.00		
LeB: Leonardtown-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00	Very limited Deep to water	1.00
					1.00		
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MfB2: Magnolia-----	100	Somewhat limited Seepage	0.01	Somewhat limited Hard to pack	0.41	Somewhat limited Slow refill	0.99
						Deep to water	0.90
						Cutbanks cave	0.10
MgB2: Magnolia-----	100	Somewhat limited Seepage	0.01	Somewhat limited Hard to pack	0.41	Somewhat limited Slow refill	0.99
						Deep to water	0.90
						Cutbanks cave	0.10
MgC2: Magnolia-----	100	Somewhat limited Seepage	0.01	Somewhat limited Hard to pack	0.41	Somewhat limited Slow refill	0.99
						Deep to water	0.90
						Cutbanks cave	0.10
MhB2: Manor-----	100	Very limited Seepage	1.00	Not limited		Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MhC2: Manor-----	100	Very limited Seepage Slope	1.00 0.01	Not limited		Very limited Deep to water	1.00
MhD2: Manor-----	100	Very limited Seepage Slope	1.00 0.12	Not limited		Very limited Deep to water	1.00
MhF2: Manor-----	100	Very limited Seepage Slope	1.00 0.94	Not limited		Very limited Deep to water	1.00
MkC: Manor-----	50	Very limited Seepage Slope	1.00 0.01	Not limited		Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
MlA: Marr-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.01	Very limited Deep to water	1.00
MlB2: Marr-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.01	Very limited Deep to water	1.00
MlB3: Marr-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.01	Very limited Deep to water	1.00
MlC2: Marr-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.01	Very limited Deep to water	1.00
MlC3: Marr-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.01	Very limited Deep to water	1.00
MlD3: Marr-----	100	Very limited Seepage Slope	1.00 0.04	Very limited Piping Seepage	1.00 0.01	Very limited Deep to water	1.00
MlE: Marr-----	30	Very limited Seepage Slope	1.00 0.41	Very limited Piping Seepage	1.00 0.01	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmA: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MmB2: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MnA: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
MnB2: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
MnC2: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
MnC3: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MnD2: Matapeake-----	100	Very limited Seepage Slope	1.00 0.01	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
MoB2: Matapeake-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
MpB: Matapeake-----	50	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
MpC: Matapeake-----	50	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
MrA: Matawan-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.86 0.10	Very limited Cutbanks cave Deep to water	1.00 0.06



Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MrB2: Matawan-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.86 0.10	Very limited Cutbanks cave Deep to water	1.00 0.06
MrC2: Matawan-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.86 0.10	Very limited Cutbanks cave Deep to water	1.00 0.06
MsA: Matawan-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.86 0.16	Very limited Cutbanks cave Deep to water	1.00 0.06
MsB: Matawan-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.86 0.16	Very limited Cutbanks cave Deep to water	1.00 0.06
MtA: Mattapex-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	0.99 0.95 0.01	Somewhat limited Cutbanks cave Deep to water	0.10 0.02
MtB2: Mattapex-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	0.99 0.95 0.01	Somewhat limited Cutbanks cave Deep to water	0.10 0.02
MuA: Mattapex-----	95	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone Seepage	0.97 0.95 0.01	Somewhat limited Cutbanks cave Deep to water	0.10 0.02
MuB2: Mattapex-----	95	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone Seepage	0.97 0.95 0.01	Somewhat limited Cutbanks cave Deep to water	0.10 0.02
MvB: Mattapex-----	50	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone Seepage	0.97 0.95 0.01	Somewhat limited Cutbanks cave Deep to water	0.10 0.02

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
Mw: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
MxC3: Monmouth-----	100	Somewhat limited Seepage	0.43	Somewhat limited Depth to saturated zone Piping	0.09 0.05	Somewhat limited Slow refill Deep to water Cutbanks cave	0.57 0.54 0.10
MxD3: Monmouth-----	100	Somewhat limited Seepage Slope	0.43 0.12	Somewhat limited Depth to saturated zone Piping	0.09 0.05	Somewhat limited Slow refill Deep to water Cutbanks cave	0.57 0.54 0.10
MyA: Monmouth-----	100	Somewhat limited Seepage	0.43	Somewhat limited Depth to saturated zone Piping	0.09 0.05	Somewhat limited Slow refill Deep to water Cutbanks cave	0.57 0.54 0.10
MyB2: Monmouth-----	100	Somewhat limited Seepage	0.43	Somewhat limited Depth to saturated zone Piping	0.09 0.05	Somewhat limited Slow refill Deep to water Cutbanks cave	0.57 0.54 0.10
MyC2: Monmouth-----	100	Somewhat limited Seepage	0.43	Somewhat limited Depth to saturated zone Piping	0.09 0.05	Somewhat limited Slow refill Deep to water Cutbanks cave	0.57 0.54 0.10
MyD2: Monmouth-----	100	Somewhat limited Seepage Slope	0.43 0.01	Somewhat limited Depth to saturated zone Piping	0.09 0.05	Somewhat limited Slow refill Deep to water Cutbanks cave	0.57 0.54 0.10
MzB2: Muirkirk-----	100	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.88 0.33	Very limited Deep to water	1.00
MzC2: Muirkirk-----	100	Very limited Seepage	1.00	Somewhat limited Piping	0.88	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
				Seepage	0.33		
OcA: Ochlockonee-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.02	Very limited Cutbanks cave Deep to water	1.00 0.81
OcB: Ochlockonee-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.02	Very limited Cutbanks cave Deep to water	1.00 0.81
OcC: Ochlockonee-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.02	Very limited Cutbanks cave Deep to water	1.00 0.81
OhA: Ochlockonee-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.02	Very limited Cutbanks cave Deep to water	1.00 0.81
OhB: Ochlockonee-----	100	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.02	Very limited Cutbanks cave Deep to water	1.00 0.81
Ok: Ochlockonee, Local A	50	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.02	Very limited Cutbanks cave Deep to water	1.00 0.81
Urban Land-----	30	Not rated		Not rated		Not rated	
Ol: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Cutbanks cave	1.00
Ot: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Cutbanks cave	1.00
Pr: Plummer-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.17	Very limited Cutbanks cave	1.00
Rutlege-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.43	Very limited Cutbanks cave	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RdA: Rumford-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
RdB2: Rumford-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
RdC2: Rumford-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
RdC3: Rumford-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
RdD2: Rumford-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
ReB: Rumford-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
ReC: Rumford-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
ReD: Rumford-----	50	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.02	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
SaE: Sandy Land-----	95	Not rated		Not rated		Not rated	
ScB: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
ScC: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ScD: Sandy And Clayey Lan	100	Not rated		Not rated		Not rated	
SfB2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SfC2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SfD2: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SgB2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SgC2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SgC3: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SgD2: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SgD3: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
SgE: Sassafras-----	95	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
ShA: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
ShB2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
ShC2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
ShC3: Sassafras-----	100	Very limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Seepage	0.03	Deep to water	1.00
SkB: Sassafras-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SkC: Sassafras-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SkE: Sassafras-----	50	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SLD: Collington-----	30	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
Sassafras-----	30	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
Aura-----	20	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
SlE: Collington-----	30	Very limited Seepage Slope	1.00 0.41	Somewhat limited Seepage	0.11	Very limited Deep to water	1.00
Sassafras-----	30	Very limited Seepage Slope	1.00 0.41	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
Aura-----	20	Very limited Seepage Slope	1.00 0.03	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
SmA: Shrewsbury-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.08	Very limited Cutbanks cave	1.00
SmB: Shrewsbury-----	100	Very limited		Very limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Depth to saturated zone Seepage	1.00 0.08	Cutbanks cave	1.00
SnA: Shrewsbury-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.08	Very limited Cutbanks cave	1.00
So: Shrewsbury-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.08	Very limited Cutbanks cave	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SpB: Silty And Clayey Land, Gently-----	95	Somewhat limited Seepage	0.01	Not limited		Very limited Deep to water	1.00
SpC: Silty And Clayey Land, Slopin-----	95	Somewhat limited Seepage Slope	0.01 0.01	Not limited		Very limited Deep to water	1.00
SpE: Silty And Clayey Land, Steep-----	95	Somewhat limited Slope Seepage	0.50 0.01	Not limited		Very limited Deep to water	1.00
StB2: Sunnyside-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
StC2: Sunnyside-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
StD2: Sunnyside-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
StE: Sunnyside-----	100	Very limited Seepage Slope	1.00 0.21	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
SuB2: Sunnyside-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SuC2: Sunnyside-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
SuD2: Sunnyside-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
SvC3: Sunnyside-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
SvD3: Sunnyside-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
SwB: Sunnyside-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
SwC: Sunnyside-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Very limited Deep to water	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
Sx: Manahawkin-----	100	Very limited Seepage	1.00	Very limited Content of organic matter Depth to saturated zone Seepage	1.00 1.00 0.07	Very limited Cutbanks cave	1.00
Tm: Westbrook-----	100	Very limited Seepage	1.00	Very limited Content of organic matter Depth to saturated zone Salinity	1.00 1.00 0.03	Somewhat limited Salty water Cutbanks cave	0.35 0.10
WaA: Westphalia-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WaB2: Westphalia-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WaB3: Westphalia-----	100	Very limited		Somewhat limited		Very limited	



Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Seepage	0.04	Deep to water	1.00
WaC2: Westphalia-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WaC3: Westphalia-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WaD2: Westphalia-----	100	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WaD3: Westphalia-----	100	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WbB2: Westphalia-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WbC2: Westphalia-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WbD2: Westphalia-----	100	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
WeB2: Westphalia-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
WeC2: Westphalia-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
WeC3: Westphalia-----	50	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00
Evesboro-----	30	Very limited Seepage	1.00	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
WeD3: Westphalia-----	50	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.04	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	30	Very limited Seepage Slope	1.00 0.04	Somewhat limited Seepage	0.24	Very limited Deep to water	1.00
WoA: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
WoB2: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
WoC2: Woodstown-----	95	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
Wu: Woodstown-----	50	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
Urban Land-----	30	Not rated		Not rated		Not rated	
ZZ900: Paved Areas-----	100	Not rated		Not rated		Not rated	

